











# **RAISED PANEL DOORS**

Standard framing is 2-3/8".



RP-10 Square



RP-20 Cathedral Top Rail: 4-1/8" Arch Height: 1-3/4"



RP-30 Eyebrow Top Rail: 3-3/8" Arch Height: 1"



RP-40 Elliptical Top Rail: 3-13/16" Arch Height: 1-7/16"



RP-50 Neoclassic Top Rail: 3-3/8" Arch Height: 1"



RP-60 Country French Top Rail: 4-1/4" Arch Height: 1-7/8



# **FLAT PANEL DOORS**

Standard framing is 2-3/8".



FP-10 Square



FP-20 Cathedral Top Rail: 4-1/8" Arch Height: 1-3/4"



FP-30 Eyebrow Top Rail: 3-3/8" Arch Height: 1"



FP-40 Elliptical Top Rail: 3-13/16" Arch Height: 1-7/16"



FP-50 Neoclassic Top Rail: 3-3/8" Arch Height: 1"



FP-60 Country French Top Rail: 4-1/4" Arch Height: 1-7/8



# **MULTI-PANEL DOORS**

Multi-Panel Doors are available in a variety of configurations. Contact us for more possibilities.



RP-35 Eyebrow



RP-3030H Eyebrow



RP-1010H Square



RP-6565V Country French



RP-1010V Square



RP-3010V Eyebrow



Standard framing is 2-3/8".

\*Catagory includes Haunch Construction doors and traditional framing doors with applied molding added.



RP-LQC-5
Available in raised and flat panel.



RP-RQC-5
Available in raised and flat panel.



RP-LQC-6
Available in raised and flat panel.



RP-RQC-6
Available in raised and flat panel.






#### Atherton

Framing has rope molding and corner blocks applied to inside of frame. Customer must specify if corner blocks are not desired.

Available in veneer and solid raised panel. Specify species, panel profile, edge profile and polish sanding.

Standard Framing: 2-3/8"



End view of Atheron door.



#### Banded Veneer Slab

Slab door constructed with MDF core, banded with solid wood edge and veneer applied to surface. Available in most species and edges. Material price is the same as RP material price. Specify species, edge profile and polish sanding.

Standard Banding Width: 1/2"




End view of 1/2" Banded door.



#### Brookfield

Traditional door with DM-890 moulding applied to frame. Polish sanding included in design cost.

Available in veneer and solid raised panel. (Unavailable with any slant raises.) Specify species, panel raise and edge profile.



End view of DM-890 molding on **Brookfield** door.






#### Cambridge

Traditional door with DM-830 molding recessed in frame. Polish sanding included in design price.

Available in veneer and solid raised panel. Specify species, panel raise and edge profile.

Standard Framing: 2-7/8"



End view of DM-830 molding on Cambridge door.




#### Cameo

Shaker style door with 3/16" v-groove cut into entire length of stile and rail.

Available in flat panel only. Specify species, veneer or 9/16" reverse cove panel, edge profile and polish sanding.

Standard Framing: 2-3/8"




End view of Cameo door.



#### Grandview

Traditional door with DM-820 molding applied to frame. Polish sanding included in design price.

Available in veneer and solid raised panel. Specify species, panel raise and edge profile.



End view of DM-820 molding on **Grandview** door.







#### Hamilton

Haunched mortise and tenon construction with molding appearance milled into framing. Available in veneer and solid raised panel. Specify species, panel raise, edge profile and polish sanding.

Standard Framing: 2-5/8"





Hamilton DF
Min size RP: 7-3/4"
Min size FP: 6-1/4"
Standard Stile Size: 2-5/8"
Specify Rail Size




#### Hartford

Traditional door with DM-870 molding applied to frame. Polish sanding included in design price.

Available in veneer and solid raised panel. Specify species, panel raise and edge profile.

Standard Framing: 2-3/8"




End view of DM-870 molding on **Hartford** door.



#### Harvard

Traditional door with DM-800 molding applied to frame. Polish sanding included in design price.

Available in veneer and solid raised panel. Specify species, panel raise and edge profile.



End view of DM-800 molding on **Harvard** door.






#### Heritage

Haunched mortise and tenon construction with moulding appearance milled into framing.

Available in veneer and solid raised panel. Specify species, panel raise, edge profile and polish sanding.

Standard Framing: 2-3/8"





#### Heritage DF

Min size RP: 7-3/4"
Min size FP: 6-1/4"
Standard Stile Size: 2-3/8"
Small Rail Size: 1-3/4"




#### Highland

Haunched mortise and tenon construction with contemporary profile milled into framing.

Available in veneer and solid raised panel. Specify species, panel raise, edge profile and polish sanding.

Standard Framing: 2-5/8"





#### Highland DF

Min size RP: 8-1/2" Min size FP: 6-3/4" Standard Stile Size: 2-5/8" Small Rail Size: 2"



#### Kingston

Haunched mortise and tenon door with bead molded into stile and rail. Standard bead=1/4". (5/16" and 3/8" available if requested)

Available in veneer and solid raised panel. Specify species, bead size if other than 1/4", panel raise, edge profile and polish sanding.



End view of Kingston door.






#### Liberty

Traditional door with DM-860 molding applied to frame. Polish sanding included in design price.

Available in veneer and solid raised panel. Specify species, panel raise and edge profile.

Standard Framing: 2-3/8"



End view of DM-860 molding on **Liberty** door.




#### Lincoln

Traditional door with DM-810 molding applied to frame. Polish sanding included in design price.

Available in veneer and solid raised panel. Specify species, panel raise and edge profile.

Standard Framing: 2-3/8"



End view of DM-810 moulding on **Lincoln** door.



#### Louver

Traditional door with open louvers equally spaced. Available in most framing profiles.

Specify species, framing profile, edge profile and polish sanding. Additional square foot charge.



End view of Louver door.






#### Oxford

Haunched mortise and tenon construction with moulding appearance milled into framing.

Available in veneer and solid raised panel. Specify species, panel raise, edge profile and polish sanding.

Standard Framing: 2-5/8"





# Oxford DF Min size RP: 8-1/2" Min size FP: 6-3/4" Standard Stile Size: 2-5/8"

Specify Rail Size




#### Presidential

Traditional door with DM-840 molding recessed in frame. Polish sanding included in design price.

Available in veneer and solid raised panel. Specify species, panel raise and edge profile.

Standard Framing: 2-7/8"




End view of DM-840 molding on **Presidential** door



#### Prestige

Traditional door with DM-850 molding applied to frame. Polish sanding included in design price.

Available in veneer and solid raised panel. Specify species, panel raise and edge profile.



End view of DM-850 molding on **Prestige** door.






#### Princeton

Traditional door with DM-825 molding applied to frame. Polish sanding included in design price.

Available in veneer and solid raised panel. Specify species, panel raise and edge profile.

Standard Framing: 2-7/8"



End view of DM-825 molding on **Princeton** door.




#### Regal

Rails available in most framing profiles. Stiles have square framing profile.

Specify rail framing profile, species, raised or flat panel, edge profile and polish sanding.

Standard Rail Size: 3" Standard Stile Size: 2-3/8"




End view of Regal door.



#### Ventura

Traditional door with DM-815 molding applied to frame. Polish sanding included indesign price.

Available in veneer and solid raised panel. Specify species, panel raise and edge profile.



End view of DM-815 molding on **Ventura** door.






#### V Groove Slab

Solid wood door with v-grooves, equally or randomly spaced, and battens on back.

Specify groove spacing, batten placement, edge profile and polish sanding.




End view of V Groove slab door.



#### Wilson

Traditional door with DM-805 molding applied to frame. Polish sanding included in design price.


Available in veneer and solid raised panel. Specify species, panel raise and edge profile.



End view of DM-805 molding on Wilson door.




- · Please allow extended lead times for mitered doors.
- · Multi-panel doors and custom framing are available. Call for details and pricing.






- · Please allow extended lead times for mitered doors.
- · Multi-panel doors and custom framing are available. Call for details and pricing.





- · Please allow extended lead times for mitered doors.
- · Multi-panel doors and custom framing are available. Call for details and pricing.







- · Please allow extended lead times for mitered doors.
- · Multi-panel doors and custom framing are available. Call for details and pricing.



Garland with Bead Standard Framing: 2-7/8"







Garland with Bead DF Standard Framing: 1-3/4"



Harmony

Standard Framing: 2-3/8"







Harmony DF Standard Framing: 1-7/8"



Harrison






Harrison DF Standard Framing: 1-3/4"




- · Please allow extended lead times for mitered doors.
- · Multi-panel doors and custom framing are available. Call for details and pricing.





- Please allow extended lead times for mitered doors.
- · Multi-panel doors and custom framing are available. Call for details and pricing.







Standard framing is 2-3/8"

See Raised Panel Section for Arch Height.

Doors styles shown are examples, other lite quantities available.




**GP-10 Frame Only** 




**GP-20 Cathedral** 




GP-30 6-Lite Eyebrow



GP-30 8-Lite Eyebrow




**GP-9 Lite Offset** 




**GP-X Lite** 









**GP-HC Frame Only** 




**GP-HC**Specify lite quantity below arch.




**GP-Covenant** Specify lite quantity below arch.



**GP-Multi X Lite** 




**GP-Gemstone** 



GP-Lynx Specify circle quantity.







**GP-7 Lite Cathedral** 



GP-LQC-1



GP-RQC-1



GP-12 Lite Cathedral



GP-LQC-2
Specify lite quantity below arch.



GP-RQC-2
Specify lite quantity below arch.







**GP-LQC-4**Specify lite quantity below arch.



**GP-RQC-4**Specify lite quantity below arch.



GP-Radius 4-Lite



**GP-LQC-3**Specify lite quantity below arch.



**GP-RQC-3**Specify lite quantity below arch.



**GP-Helix** Specify circle quantity.